



DEPISTAGE BARAQUEVILLE	41	AU	24/07/2014
-------------------------------	-----------	-----------	-------------------

	HOMMES	FEMMES	TOTAL
	31	10	41
REPARTITION	75,61%	24,39%	100,00%
AGE MOYEN	66	71	68

DERNIERE CONSULTATION AUPRES D'UN OPHTALMOLOGISTE

	< 1 AN	ENTRE 1 ET 2 ANS	PLUS DE 2 ANS	JAMAIS	NE SAIT PAS	TOTAL	>2ANS
HOMMES	3	12	14	1		30	
FEMMES		4	6			10	
TOTAL	3	16	20	1		40	40

	< 1 AN	ENTRE 1 ET 2 ANS	PLUS DE 2 ANS	JAMAIS	NE SAIT PAS	TOTAL	>2ANS
HOMMES	10,00%	40,00%	46,67%	3,33%		100,00%	
FEMMES		40,00%	60,00%			100,00%	
TOTAL	7,50%	40,00%	50,00%	2,50%		100,00%	52,50%
DELAI CONNU		40,00%					52,50%




QUALITE DES CLICHES

Analyse par patients (au meilleur des 2 yeux)

TOTAL	Total
Analyse partielle	15
Satisfaisante	26
Total	41

TOTAL	Total
Analyse partielle	36,59%
Satisfaisante	63,41%
Total	100,00%


PAR PATIENTS



Analyse comparative OD/OG



	Non analysable	INCOMPLETE	SATISFAISANTE	TOTAL
OD	1	16	24	41
OG	3	14	24	41
OD+OG	4	30	48	82
OD+OG	4,88%	36,59%	58,54%	100%

	Non analysable	INCOMPLETE	SATISFAISANTE	TOTAL
OD	2,44%	39,02%	58,54%	100%
OG	7,32%	34,15%	58,54%	100%
OD+OG	4,88%	36,59%	58,54%	100%




HOMMES				
	N/A	INCOMPLETE	SATISFAISANTE	TOTAL
OD	1	12	18	31
OG	2	11	18	31
OD+OG	3	23	36	62
HOMMES	4,84%	37,10%	58,06%	100,00%

FEMMES				
	N/A	INCOMPLETE	SATISFAISANTE	TOTAL
OD		4	6	10
OG	1	3	6	10
OD+OG	1	7	12	20
FEMMES	5,00%	35,00%	60,00%	100,00%




TYPE DE RETINOPATHIE

TOTAL							
	N/A	RD0	RDNP minime	RDNP modérée	RDNP sévère	RDP	TOTAL RD
41		31	10				10
100,00%		75,61%	24,39%				24,39%



TOTAL INTERPRETABLE							
	RD0	RDNP minime	RDNP modérée	RDNP sévère	RDP	TOTAL RD	
	75,61%	24,39%				24,39%	100,00%
	31	10				10	41



TOTAL OD + OG						
	N/A	RD0	RDNP minime	RDNP modérée	RDNP sévère	RDP
OD	1	32	8			41
OG	3	32	6			41
	4	64	14			82
OD	2,44%	78,05%	19,51%			100,00%
OG	7,32%	78,05%	14,63%			100,00%
MOYENNE	4,88%	78,05%	17,07%			100,00%

HOMMES						
	N/A	RD0	RDNP minime	RDNP modérée	RDNP sévère	RDP
OD	1	24	6			31
OG	2	24	5			31
	3	48	11			62
MAX		24	7			31
HOMMES		77,42%	22,58%			100,00%
OD	3,23%	77,42%	19,35%			100,00%
OG	6,45%	77,42%	16,13%			100,00%
MOYENNE	4,84%	77,42%	17,74%			100,00%

FEMMES						
	N/A	RD0	RDNP minime	RDNP modérée	RDNP sévère	RDP
OD		8	2			10
OG	1	8	1			10
TOTAL	1	16	3			20
MAX/PATIENT		7	3			10
FEMMES		70,00%	30,00%			100,00%
OD		80,00%	20,00%			100,00%
OG	10,00%	80,00%	10,00%			100,00%
FEMMES	5,00%	80,00%	15,00%			100,00%


RETINOPATHIE / TYPE DE DIABETE

Nombre de TYPE RD

TYPE DIABETE	absence de RD	RDNP minime	Total
TYPE 1		4	4
TYPE 2 ADO	23	5	28
TYPE 2 ADO + Ins / Ins	8	1	9
Total	31	10	41

% de RD / TYPE RD

TYPE DIABETE	absence de RD	RDNP minime	Total
TYPE 1		100,00%	100,00%
TYPE 2 ADO	82,14%	17,86%	100,00%
TYPE 2 ADO + Ins / Ins	88,89%	11,11%	100,00%
Total	75,61%	24,39%	100,00%





MACULOPATHIE ET AUTRES ANOMALIES

	NON ANALYSABLE	NORMAL	OEDEME	MLA	AUTRE MACULOPATHIE	AUTRE RETINOPATHIE	TOTAL
OD	8	32	0	0	0	1	41
OG	14	26	0	0	0	1	41
OD + OG	22	58	0	0	0	2	82


	N/A	NORMAL	OEDEME	MLA	AUTRE MACULOPATHIE	AUTRE RETINOPATHIE	
OD	19,51%	78,05%	0,00%	0,00%	0,00%	2,44%	100,00%
OG	34,15%	63,41%	0,00%	0,00%	0,00%	2,44%	100,00%
MOYENNE	26,83%	70,73%	0,00%	0,00%	0,00%	2,44%	100,00%

	NON ANALYSABLE	NORMAL	OEDEME	MLA	AUTRE MACULOPATHIE	AUTRE RETINOPATHIE	TOTAL
HOMMES	5	25	0	0	0	1	31
	16,13%	80,65%	0,00%	0,00%	0,00%	3,23%	100,00%
FEMMES	2	8	0	0	0	0	10
	20,00%	80,00%	0,00%	0,00%	0,00%	0,00%	100,00%
TOTAL	7	33	0	0	0	1	41
	17,07%	80,49%	0,00%	0,00%	0,00%	2,44%	100,00%



DUREE D'EVOLUTION DU DIABETE


1 AN	1 A 5	5 A 10	10 A 15	15 A 20	20 A 25	25 A 30	> 30	DUREE
4,88%	29,27%	31,71%	#####	0,00%	0,00%	7,32%	4,88%	100,00%
2	12	13	9	0	0	3	2	41



MOYENNE
10


TYPE DE RD / DUREE D'EVOLUTION DU DIABETE

DUREE	RD			DUREE	RD		
	pas de RD	RDNPminime	Total		pas de RD	RDNP minime	Total
1	2		2	1 AN	100,00%	0,00%	100,00%
5	9	3	12	DE 1 A 5 ANS	75,00%	25,00%	100,00%
10	12	1	13	DE 5 A 10 ANS	92,31%	7,69%	100,00%
15	6	3	9	DE 10 A 15 ANS	66,67%	33,33%	100,00%
30	2	1	3	DE 25 A 30 ANS	66,67%	33,33%	100,00%
35		2	2	> 30 ANS	0,00%	100,00%	100,00%
Total	31	10	41	Total	75,61%	24,39%	100,00%



Dernière consultation en ophtalmologie


RD				RD			
DELAI CS	RD0	RDNP minime	Total	DELAI CS	RD0	RDNP minime	Total
entre 1 et 2 ans	13	3	16	entre 1 et 2 ans	81,25%	18,75%	100,00%
> 2 ans	16	4	20	> 2 ans	80,00%	20,00%	100,00%
jamais		1	1	jamais	0,00%	100,00%	100,00%
< 1 AN	1	2	3	< 1 AN	33,33%	66,67%	100,00%
NON CONNU	1		1	NON CONNU	100,00%	0,00%	100,00%
Total	31	10	41	Total	75,61%	24,39%	100,00%



TYPE DE DIABETE / DELAI DE CONSULTATION

Nombre de CS	CS					Total
	1 et 2 ans	> 2 ans	Jamais	< 1 AN	NON CONNU	
Type 1	2	2				4
Type 2 ADO	9	14	1	3	1	28
Type 2 ADO + Ins / Ins	5	4				9
Total	16	20	1	3	1	41


Nombre de CS	CS					Total
	1 et 2 ans	> 2 ans	Jamais	< 1 AN	NON CONNU	
Type 1	50,00%	50,00%				100,00%
Type 2 ADO	32,14%	50,00%	3,57%	10,71%	3,57%	100,00%
Type 2 ado + Ins / Ins	55,56%	44,44%				100,00%
Total	39,02%	48,78%	2,44%	7,32%	2,44%	100,00%



DELAI DE CONSULTATION / ANCIENNETE DU DIABETE

Nombre de DELAI DUREE	DELAI					Total
	ENTRE 1 ET 2 ANS	> 2 ANS	JAMAIS	NON CONNU	< 1 AN	
1	1	1				2
5	3	6	1	1	1	12
10	5	8				13
15	4	3		2		9
30	2	1				3
35	1	1				2
Total	16	20	1	3	1	41


Nombre de DELAI DUREE	DELAI					Total
	ENTRE 1 ET 2 ANS	> 2 ANS	JAMAIS	NON CONNU	< 1 AN	
1	50,00%	50,00%				100,00%
5	25,00%	50,00%	8,33%	8,33%	8,33%	100,00%
10	38,46%	61,54%				100,00%
15	44,44%	33,33%		22,22%		100,00%
30	66,67%	33,33%				100,00%
35	50,00%	50,00%				100,00%
Total	39,02%	48,78%	2,44%	7,32%	2,44%	100,00%



SUIVI MEDICAL

	GENERALISTE + DIABETOLOGUE	GENERALISTE	
HOMMES	7	24	31
FEMMES	1	9	10
TOTAL	8	33	41

	GENERALISTE + DIABETOLOGUE	GENERALISTE	
HOMMES	22,58%	77,42%	100,00%
FEMMES	10,00%	90,00%	100,00%
TOTAL	19,51%	80,49%	100,00%



Nombre de rd	rd		
	absence de RD	rdnp minime	Total
GENERALISTE	26	7	33
DIABETOLOGUE	5	3	8
Total	31	10	41

Nombre de rd	rd		
	absence de RD	rdnp minime	Total
GENERALISTE	78,79%	21,21%	100,00%
DIABETOLOGUE	62,50%	37,50%	100,00%
Total	75,61%	24,39%	100,00%

